Park at Blackhawk and Lakeside Homeowner Association

Accessory (Storage) Buildings Guidelines

For the purpose of protecting our property values (as they are directly related to the appearance of our neighborhood), strict rules governing accessory buildings and enforcement of those rules are critical.

Note: The following referenced paragraphs refer to sections in the Park at Blackhawk and Lakeside HOA By-Laws, Covenants, Conditions, and Restrictions (Deed Restrictions) and apply to improvements that are visible from the Park at Blackhawk and Lakeside streets and/or the first floor of another residence (Par. 3.8).

- 1. Approval: In accordance with (IWA) the Park at Blackhawk and Lakeside HOA Deed Restrictions (paragraph 3.8 and 6.1),

 Architectural Review Committee (ARC) approval must be obtained PRIOR to any Improvements (as defined in paragraph 1.13). The ARC review shall be based on the established guidelines set forth in (but not limited to) the following paragraphs:
 - **A.** Metal, plastic and/or like material buildings that are visible from the Park at Blackhawk and Lakeside streets and/or the first floor of another residence are strictly prohibited (Par. 3.8).
 - B. Review of Plans and Specification (IAW par. 1.23)
 - C. Set Back Requirements (IAW par. 3.1 and 4.2)
 - D. Material (IAW par. 3.5, 3.11, and 6.10)
 - E. Adoption of Rules (IAW par. 6.7)
- Adoption of Rules: The Park at Blackhawk and Lakeside Homeowner Association ARC has established the following standardized "Accessory Buildings" rules in accordance with paragraph 6.7.
 - A. Building Location/Placement: The location/placement of building shall meet the specified "Set Back" requirements of par. 3.1. NOTE: Corner lot set back requirements are more restrictive. In no event will the structure be permitted any closer than 7 foot of any property line and the ARC is not responsible to any owner for cost associated with removal or replacement of an improvement if required by a utility provider with in a Public Utility Easement (PUE) or municipal jurisdiction if vertical improvement is placed within a Build Line (BL).
 - Construction: All buildings must be skillfully and competently constructed. Home owner construction is required to meet
 or exceed the same strict guidelines as professional manufactures/builders.
 NOTE: Final ARC inspection is required; preliminary and interim inspections may be conducted.
 - C. Sidewalls: The building sidewall heights shall be 6 ft with stude at a maximum of 24 in. on center.
 - **D.** Foundation/Flooring: Preferred foundation would be pier and beam Foundations (max 24 in. on center) shall be supported by masonry blocks to prevent contact with the ground. Flooring material (plywood/decking) shall be at least ¾ inch thick. Concrete foundations are permitted if they are same size as accessory building and prevent any rain runoff from negatively impacting any adjoining lot(s).
 - **E. Wall Material:** Walls shall be constructed using lapped fiber-reinforced horizontal planks (i.e. James Hardie product) with the architectural style compatible with the (non-bricked) wall(s) of PBH residences.
 - F. Trim: Material (same as par. 2E) shall be 3 ½ to 4 inches wide at doors, windows, corners, and roof line.
 - **G.** Roof Design and Shingles: All building roof designs must be of Gable style (not barn style) with a standard pitch between 4:12 and 6:12. The required architectural/dimensional shingles shall be constant with the residence design, style, color, and be of high grade and quality with a minimum of a 25 year rating (par. 3.5).
 - **NOTE:** Standard/Classic roofing shingles typically <u>do not</u> meet the specified design requirements.
 - H. Height: The overall building height (ground to peak) shall be 8 foot, plus or minus 6 inches.
 - I. Building Width and Length: Minimum 8 ft by 8 ft and Maximum 8 ft by 10 ft (8'x8' or 8'x10').
 - **J. Building Orientation:** Sidewall direction shall be the same as the side of residence.
 - **K.** Door orientation: Door(s) shall be hung on the peak wall.
 - L. Accessories: Windows and Ridge Vents are permitted (if desired); however, Turbine Vents are not permitted.
 - M. Paint: Building paint shall match residence (color and scheme) sides and trim.
 - N. Quantity: Only one accessory building (as defined above) shall be permitted per residence.
- 3. Repair of Buildings: All improvements upon any of the property shall at all times be kept in good condition and repair and adequately painted or otherwise maintained by the owner thereof (par. 3.17).

If there are any questions pertaining to accessory buildings please contact your Park at Blackhawk and Lakeside Homeowner Association Architectural Review Committee. See the Park at Blackhawk and Lakeside website at **www.ParkLakesideHOA.com** for contact information.